

HOME No categories

SiddhaQuest .Com

Free
Online
Consultation



Siddha Medicine for HIV – AIDS

Sakthi's Hospital And Research Center (S.H.A.R.C) is a leading health care provider in the field of **Siddha Medicine**, with a team of eminent doctors guided by the director Dr. Sivasakthi. Under the initiatives of our director Sakthi's Hospital And Research Center (S.H.A.R.C) has started functioning its India's first dynamic siddha treatment center exclusively for the treatment of HIV infected persons and AIDS patients.

The main course of treatment is proposed to increase the CD4 and CD8 values and there by reducing the viral load and eventually negative. And also help patients to overcome the side effects of Anti Retroviral Treatment (A.R.T.)

We are also planning to offer free treatment for HIV infected children in India. Non Governmental Organizations and other organizations with similar views may contact at siddhaquest@gmail.com

Complication of AIDS when left untreated:

1. Tuberculosis (T.B.)

Tuberculosis is one of the most common infection associated with HIV. It is also the leading cause for death among people suffering from AIDS. Millions of people



**Sakthi's
Skin care
clinic**

www.sharc.org.in

**To Advertise
Contact Us**

siddhaquest@gmail.com

LOGIN

Username:

Password:



Click Here

around the world are infected with both HIV and tuberculosis, and many experts consider the two diseases to be twin epidemics.



2. Herpes Simplex Virus (HSV)

Herpes Simplex Virus usually causes genital herpes. It may be transmitted during an unprotected sex. Initial symptoms of Herpes Simplex Virus includes pain or irritation of skin over the genital area and later causes sores that erupt and bleed. These sores although heal on medication but repeats with same symptoms.



Remember me

Login »

• Lost your password?

To Advertise
Contact Us

siddhaquest@gmail.com

Siddha Quest. Com

facebook

Fans:
169



3. Candidiasis:

Candidiasis (Thrush) is a yeast infection of the mouth or genitals. It is also very common HIV – AIDS infected patients. The symptoms of Candidiasis includes inflammation and a thick white coating on the mucous membranes of the mouth, tongue, vagina or esophagus (Candida esophagitis).



4. Non-Hodgkin's Lymphoma (NHL)


Non-Hodgkin's Lymphoma is a cancer of the lymph glands originating in the lymphocytes. The most common symptom of NHL is swelling of lymph nodes in the

neck, armpit or groin which are usually painless. Other symptoms include fever, itchy skin, weight loss, night sweats, fatigue and sometimes coughing, difficulty breathing and chest pain.



5. Salmonellosis

Salmonellosis (food poisoning) is an infection caused by the salmonella bacterium. Its symptoms are severe diarrhea, fever, chills, abdominal pain and sometimes it causes vomiting.



6. Bacillary Angiomatosis

Bacillary Angiomatosis (“Cat Scratch Disease”) is an infection that initially appears as a purplish and later changes to bright red patches on the skin. It resembles Kaposi’s sarcoma. As the infection increases, symptoms include poor appetite, vomiting , fever, sweats, chills and weight loss.




FIGURE 1: Bacillary angiomatosis and Norwegian scabies. A: Scalp diffuse pilous catraction and angiomatous lesion; scale crusts on the back. B: Angiomatous papular-tumoral lesion and scaling surrounding skin



7. Viral Hepatitis

Viral hepatitis is a viral infection of the liver. Its symptoms include yellowing of the skin and the whitening of the eyes, loss of appetite, fatigue, nausea, abdominal pain and diarrhea. Hepatitis A, B and C are the most common among the several types.




8. Human Papillomavirus (HPV)

Human Papillomavirus is also one of the most common causes of sexually transmitted disease like AIDS. These viruses causes common warts while others causes warts over the genitals. HPV infection is considered serious as it causes cervical cancer in women and the risk is further increased in women infected with HIV.



Figure 3 - Adherent white patch on right side of lateral border of tongue.



9. Cryptosporidiosis

Cryptosporidiosis is an infection caused by ingesting of contaminated food or water. The parasite grows in the intestines and bile ducts. It can cause chronic diarrhea.



10. Pneumocystis Carinii Pneumonia (PCP)

Pneumocystis Carinii Pneumonia (PCP) is the most common type of infection that occurs with AIDS. The PCP infection is spread through breathing or coughing from an infected person. The symptoms include persistent cough, fever, breathing trouble, fatigue, and weight loss. Sometimes lips and nail-beds may become blue.



11. Kaposi's Sarcoma (KS)

Kaposi's sarcoma is the most common cancer found among the HIV infected Aids patients. It is a tumor of the blood vessel wall. The most common symptoms includes pink, red or purple lesions over the skin and in the mouth. The first spots or bumps usually appear over the face, nose, mouth, arms, upper body or legs.





12. Toxoplasmosis

Toxoplasmosis is caused by a parasite that is primarily spread by cats. It is the most common cause of brain lesions in AIDS patients with advanced HIV disease. It may often leads to encephalitis, an infection of the brain. Its symptoms includes seizures, fatigue, disorientation, headaches and difficulty walking or speaking.



13. Cytomegalovirus (CMV)

Cytomegalovirus infection is a viral infection that can affect any organ of our body.

A healthy immune system can inactivate the virus and make it dormant. If the immune system weakens, the virus progresses. Its symptoms include enlarged lymph nodes, fatigue, fever and pain in the muscles or throat. CMV may also cause damage to the eyes (retinitis), digestive tract (diarrhea), lungs (pneumonia), liver (hepatitis), or other organs.



14. Wasting Syndrome

Extreme loss of weight and anorexia caused by HIV among aids patients.



Reference:

<http://www.drugs.com/aids-symptoms.html>

<http://www.online-ambulance.com/articles/doc/7/grp/Aids/art/HIVandAIDS.htm>

<http://diyarbakirilimyayma.org/forum/showthread.php?tid=5408>

FREE CONSULTATION:

Kindly get an appointment before 15 days to avoid delay in treatment. Also submit previous medical records prior treatment. **For appointments call mobile : 09486964065.**

 Posted in [Uncategorized](#)

Copyright 2011-2015 © [Siddha Quest](#) | [Siddha Medicine](#) | [Aids Treatment](#) - We Serve For Your Health

Powered by **WordPress** | Designed by: WordPress Themes | Thanks to Top WordPress Themes, Premium WordPress Themes and Themes Gallery

[Website Reference](#) - [Business Collective](#) - [Publication Sharing](#) - [Sitemap](#)

